



Cryogenics

Index to Volume 40 (2000)

No. 1 (January) pp 1–73

No. 2 (February) pp 75–153

No. 3 (March) pp 155–239

Nos. 4–5 (April–May) pp 241–351

No. 6 (June) pp 353–423

No. 7 (July) pp 425–497

Nos. 8–10 (August–October) pp 499–679

No. 11 (November) pp 681–753

No. 12 (December) pp 755–821

Article Index (titles in italics refer to Research and technical notes)

Number 1/January

Theoretical investigations on simultaneous operation of vapour compression refrigeration cycle and Stirling cycle in miniature Stirling cooler with two-component two-phase mixture

S.L. Bapat 1

Thermal quench study in HTSC pancake coil

V.S. Vysotsky, Yu.A. Ilyin, T. Kiss, M. Inoue, M. Takeo, F. Irie, H. Okamoto, M. Kanazawa, K. Ohya, S. Hayashida and A.L. Rakhmanov 9

Universal scaling law for quench development in HTSC devices

A.L. Rakhmanov, V.S. Vysotsky, Yu.A. Ilyin, T. Kiss and M. Takeo 19

Dynamic response of Ag–Bi2223 tapes in applied fields by electric transport measurement

Y.H. Zhang, S.Y. Ding, H. Luo, X.F. Wu, P. Zhang, F.Y. Lin, L. Qiu, Z. Xu and X.X. Yao 29

A large experimental apparatus for measuring thermal conductance of LH2 storage tank insulations

S. Kamiya, K. Onishi, E. Kawagoe and K. Nishigaki 35

Evolution of the ohmic voltage drop in connections of superconductors under time-varying current

R. Musenich, S. Farinon, C. Priano and P. Fabbricatore 45

Design analysis of a cryostable sector magnet for superconducting separated-sector cyclotron

J.-W. Kim 53

Cryogenic contamination of an ultralow loss mirror for cryogenic laser interferometric gravitational wave detector

S. Miyoki, T. Uchiyama, T. Tomaru, D. Tatsumi, H. Ishizuka, M. Ohashi, K. Kuroda, A. Ueda, T. Suzuki, N. Sato, T. Haruyama, A. Yamamoto and T. Shintomi 61

Generation of liquid helium temperatures using a lead regenerator in a GM precooled pulse tube stage

A. von Schneidemesser, G. Thummes and C. Heiden 67

Number 2/February

Study on a new type of sealing – regeneration-labyrinth sealing for displacer in cryocoolers: Part I – Theoretical study

L.Q. Liu and L. Zhang 75

Study on a new type of sealing – regeneration-labyrinth sealing for displacer in cryocoolers: Part II – Experimental study

L.Q. Liu and L. Zhang 85

Design, construction, and performance of plastic heat exchangers for sub-Kelvin use

A.B. Patel and J.G. Brisson 91

Steady state analysis of non-uniform current distributions in cable-in-conduit conductors and comparison with experimental data

N. Mitchell 99

Creep deformation of austenitic steels at medium and low temperatures

S. Usami and T. Mori 117

He II heat transfer through superconducting cables electrical insulation

B. Baudouy, M.X. François, F.-P. Juster and C. Meuris 127

Calorimetric ac-loss measurement of high T_c -tapes at 77 K, a new measuring technique

C. Schmidt 137

Low temperature thermal conductivity of Kapton and Upilex

M. Barucci, E. Gottardi, I. Peroni and G. Ventura 145

Automated thermoelectric power measurement from 300 to 15 K with a closed cycle refrigerator

R. Nirmala, V. Sankaranarayanan,

M.G. Sankar and K. Sethupathi 149

Number 3/March

Influence of specimen size on the tension-tension fatigue behaviour of fibre-reinforced plastics at room temperature and at 77 K

P. Rosenkranz, K. Humer and H.W. Weber 155

Effect of gap flow on shuttle heat transfer

Index

- H.-M. Chang, D.-J. Park and S. Jeong* 159
Partial discharge inception characteristics of LN₂/epoxy composite insulation system under thermal bubble condition
N. Hayakawa, H. Maeda, S. Chigusa and H. Okubo 167
Thermomechanical subdivision of internal energy of some noble gases on the "ideal gas line"
S.A. Ulybin, V.I. Sukhov and B.D. Krakovsky 173
M&M: Multi-conductor Mithrandir code for the simulation of thermal-hydraulic transients in superconducting magnets
L. Savoldi and R. Zanino 179
A simplified model for pulse tube refrigeration
P. Neveu and C. Babo 191
The thermal conductivity of Kapton HN between 0.5 and 5 K
J. Lawrence, A.B. Patel and J.G. Brisson 203
High-temperature superconducting current lead incorporating operation in the current-sharing mode
Y. Iwasa and H. Lee 209
The application of the Deiters equation of state to the calculations of the vapour-liquid phase equilibria in systems containing halogenhydrocarbons
B. Dabrowska 221
Study on miniature pulse tube cryocooler for space application
J. Liang, Y. Zhou, W. Zhu, W. Sun, J. Yang and S. Li 229
Behavior of carbon ceramic TVO temperature sensors at static magnetic fields up to 15 T
M. Süßer and F. Wüchner 235
- Number 4-5/April-May**
- Transient temperature measurement of noisy film boiling and silent film boiling in He II
P. Zhang, M. Murakami and R.Z. Wang 241
Effective thermal conductivity in HTS coils
J. Lehtonen, R. Mikkonen and J. Paasi 245
Effect of welding structure and δ -ferrite on fatigue properties for TIG welded austenitic stainless steels at cryogenic temperatures

- T. Yuri, T. Ogata, M. Suito and Y. Hirayama* 251
Thermodynamic performance prediction of pulse tube refrigeration with mixture fluids
G. Chen, Z. Gan, G. Thummes and C. Heiden 261
Design optimization of a 0.1-ton/day active magnetic regenerative hydrogen liquefier
L. Zhang, S.A. Sherif, A.J. DeGegoria, C.B. Zimm and T.N. Veziroglu 269
Metrological systems for monitoring two-phase cryogenic flows
Yu.P. Filippov, A.M. Kovrizhnykh, V.M. Miklayev and A.K. Sukhanova 279
A study on the relation between the strain scaling law and the temperature scaling law on flux pinning in Nb₃Sn superconducting wires
T. Kuroda, K. Itoh, H. Wada and K. Togano 287
Dielectric strength, swelling and weight loss of the ITER Toroidal Field Model Coil insulation after low temperature reactor irradiation
K. Humer, H.W. Weber, R. Hastik, H. Hauser and H. Gerstenberg 295
Influence of longitudinal magnetic field on current distribution and AC loss in twisted multifilamentary high T_c superconducting tapes
N. Amemiya 303
The possibility of SQUID sensitivity enhancement by the use of ferromagnetic antennae
S.I. Bondarenko, A.A. Shabot and P.P. Pavlov 313
Properties of Ag-Mg alloy sheathed Bi-2223 tapes
M.H. Apperley, R. Zeng, F. Darmann and G. McCaughey 319
Feasibility study on superconducting fault current limiting transformer (SFCLT)
N. Hayakawa, S. Chigusa, N. Kashima, S. Nagaya and H. Okubo 325
Experimental study on pulse tube refrigeration with helium and nitrogen mixtures
Z.H. Gan, G.B. Chen, G. Thummes and C. Heiden 333
Characterisation of the photodetector and light emitting diode at above liquid nitrogen temperature
N.B. Manik, A.N. Basu and S.C. Mukherjee 341
New Nb₃Al-based Al5 multifilamentary wires with high J_c in high fields
Y. Iijima, A. Kikuchi and K. Inoue 345
- Number 6/June**
- Elementary study on superconducting electromagnetic ships with helical insulation wall
K. Nishigaki, C. Sha, M. Takeda, Y. Peng, K. Zhou, A. Yang, D. Suyama, Q.J. Qing, L. Yan, T. Kiyoshi and H. Wada 353
Development of perspective cryogenic surgical apparatus
V.N. Pavlov 361
Molar volume of pure liquid ⁴He: dependence on temperature (50–1000 mK) and pressure (0–1.57 MPa)
E. Tanaka, K. Hatakeyama, S. Nomura and T. Satoh 365
Two-dimensional model for tapered pulse tubes. Part 1: theoretical modeling and net enthalpy flow
S.H. Baek, E.S. Jeong and S. Jeong 379
Two-dimensional model for tapered pulse tubes. Part 2: Mass streaming and streaming-driven enthalpy flow loss
S.H. Baek, E.S. Jeong and S. Jeong 387
Two-dimensional quench simulation of composite CuNb/Nb₃Sn conductors
T. Murakami, S. Murase, S. Shimamoto, S. Awaji and K. Watanabe 393
Configuration effect of superfluid helium channel on the λ -transition heat flux
T. Okamura, M. Takahashi, D. Maramatsu and H. Kobayashi 403
Theoretical solution for the cool-down or warm-up process of a pipeline or a packed bed
A. Hofmann 407
Behavior of CERNOX temperature sensors at static magnetic fields up to 15 T
M. Süßer and F. Wüchner 413

Acoustic quality factor of titanium from 50 mK to 300 K
W. Duffy Jr. 417

Book review

Flow measurement handbook: Industrial designs, operating principles, performance and applications; by Roger C. Baker and M. Süßer 421

Number 7/July

A simple calorimeter for fast adiabatic heat capacity measurements from 15 to 300 K based on closed cycle cryocooler

I. Catarino and G. Bonfait 425

Heat transfer correlations for multi-layer insulation systems

C.K. Krishnaprasak, K.B. Narayana and P. Dutta 431

Design and performance of an immersible low-temperature pressure gauge

M. Barucci, E. Gottardi, I. Peroni and G. Ventura 437

Simple fix-point device for temperature scale definition below 1 K

E. Gažo, L. Lokner, R. Scheibel, P. Skyba and N. Smolka 441

Compatibility of two basic models describing the a.c. loss and eddy currents in flat superconducting cables

A.A. Akhmetov 445

Multistage pulse tubes

A.T.A.M. de Waele, I.A. Tanaeva and Y.L. Ju 459

Thermal expansion and thermal conductivity of glass-fibre reinforced nylon at low temperature

M. Barucci, G. Bianchini, T.D. Rosso, E. Gottardi, I. Peroni and G. Ventura 465

Performance evaluation of counter flow heat exchangers considering the effect of heat in leak and longitudinal conduction for low-temperature applications

P. Gupta and M.D. Atrey 469

Study on a pulse tube cryocooler using gas mixture as its working fluid

C.M. Gao, Y.L. He and Z.Q.

Chen 475

Development of a laboratory model of activated charcoal-nitrogen adsorption cryocooler

M.J. Prakash, M. Prasad, S.C. Rastogi, B.S. Akkumaradi, P.P. Gupta, H. Narayananmurthy and K. Srinivasan 481

Low temperature thermal conductivity of Kevlar

G. Ventura, M. Barucci, E. Gottardi and I. Peroni 489

Summary – Fourth European Workshop on Low Temperature Electronics

R. Kirschman 493

Number 8–10/August–October

Preface: CHATS-Y2K

M. Spadoni 499

Heat front propagation and quench initiation analysis of the ITER toroidal field model coil

C. Marinucci and G. Vécsey 501

Quench simulation of a CICC model coil subjected to longitudinal and transverse field pulses

S. Prestemon, S. Sayre, C. Luongo and J. Miller 511

Quench simulations for superconducting elements in the LHC accelerator

F. Sonnemann and R. Schmidt 519

HT-7U TF and PF conductor design

P.D. Weng, Y.F. Bi, Z.M. Chen, B.Z. Li and J. Fang 531

Predictive study of current sharing temperature test in the Toroidal Field Model Coil without LCT coil using the M&M code

L. Savoldi and R. Zanino 539

Correlation between quench pressure and normal zone voltage observed in the QUELL experiment

A. Anghel, S. Pourrahimi, Y. Takahashi and G. Vecsey 549

Comparison between the predictions of the thermo-hydraulic code Gandalf and the results of a long length instrumented CICC module experiment

P. Bellucci, M. Ciotti, P. Gislon, M. Spadoni, L. Bottura, L. Muzzi and S. Turtù 555

Test results from the Wendelstein 7-X stellarator demonstration coil

R. Heller, W. Maurer, J. Sapper,

F. Schauer, I. Schönewolf,

A. Ulbricht, F. Wüchner and G.

Zahn 561

Calculations of pressure drop and mass flow distribution in the toroidal field model coil of the ITER project

S. Nicolle, J.L. Duchateau, H. Filzunger and A. Martinez 569

Methods for the evaluation of quench temperature profiles and their application for LHC superconducting short dipole magnets

S. Sunfilippo and A. Siemko 577

Modelling of helium-mediated quench propagation in the LHC prototype test string-1

M. Chorowski, P. Grzegory, L. Serio and R. van Weelderen 585

Thermal-hydraulic analysis of T_{c} measurement in conductor 1A of the ITER Central Solenoid Model Coil using the M&M code

L. Savoldi and R. Zanino 593

Analysis of slow temperature and current ramps on the central solenoid insert coil

N. Mitchell 605

A general model for thermal, hydraulic and electric analysis of superconducting cables

L. Bottura, C. Rosso and M. Breschi 617

A theoretical investigation on current imbalance in flat two-layer superconducting cables

A. Akhmetov, L. Bottura, M. Breschi and P.L. Ribani 627

Modelling of non-uniform current diffusion coupled with thermohydraulic effects in superconducting cables

N. Mitchell 637

Normal zone propagation process accompanied by current redistribution in superconducting triplex cables

N. Amemiya, H. Yonekawa, T. Ogiotsu, K. Sasaki, N. Ohuchi, K. Tsuchiya and T. Shintomi 655

Experimental results of current distribution in Rutherford-type LHC cables

A.P. Verweij and L. Buchsbaum 663

Macroscopic electrodynamic modelling of superconductors

G. Rubinacci, A. Tamburino, S. Ventre and F. Villone 671

Proposal for a database for the validation of simulations in superconducting cables

C. Marinucci, L. Bottura, C. Luongo and G. Vécsey 677

Index

Number 11/November

- The effect of temperature on J_c and n -value of Bi(2223) tapes
Z. Wang, Z. Chen, Y. Zhou, Z. Duan and W. Wang 681
- A three-stage helium sorption refrigerator for cooling of infrared detectors to 280 mK
R.S. Bhatia, S.T. Chase, S.F. Edgington, J. Glenn, W.C. Jones, A.E. Lange, B. Maffei, A.K. Mainzer, P.D. Mauskopf, B.J. Philhour and B.K. Rownd 685
- Effect of microstructure evolution on fracture toughness in isothermally aged austenitic stainless steels for cryogenic applications
M.L. Saucedo-Muñoz, Y. Watanabe, T. Shoji and H. Takahashi 693
- Optimization of the orifice pulse tube
P.C.T. de Boer 701
- Pool boiling heat transfer characteristics of liquid ^3He below 1 K
M. Maeda, A. Beppu, Y. Fujii and T. Shigi 713

Flow characteristics of a metering valve in a pulse tube refrigerator

G. Lu and P. Cheng 721

Analysis of current distribution in a large superconductor

T. Hamajima, A.K.M. Alamgir, N. Harada, M. Tsuda, M. Ono and H. Takano 729

Thermal test of the insulation structure for LH₂ tank by using the large experimental apparatus

S. Kamiya, K. Onishi, N. Konshima and K. Nishigaki 737

Thermal conductivity of polycrystalline and amorphous Se-Te-Cu system

R. Wawryk, Cz. Marucha, K. Balcerak, B.M. Terzijska and Z.G. Ivanova 749

Number 12/December

Properties of modified anhydride hardener and its cured resin

C. Qiang, G. Bingjun, C. Jinglin and X. Tongzhao 755

Calibration of saturated liquid helium weir flowmeter at Fermilab

M.W. McGee, D.M. France and R.C. Sanders 759

Development of a thermal switch for faster cool-down by two-stage cryocooler

H.-M. Chang and H.-J. Kim 769

A parametric study on the cooling characteristics of an infrared detector cryochamber

H.-Y. Kim, B.H. Kang and D.-Y. Lee 779

Residual strength of aluminum-lithium alloy center surface crack tension specimens at cryogenic temperatures

P.K.G. Potti, B.N. Rao and V.K. Srivastava 789

Cryogenics in space: a review of the missions and of the technologies

B. Collaudin and N. Rando 797

Construction and tests of a heart scanner based on superconducting sensors cooled by small stirling cryocoolers

A.P. Rijpma, C.J.H.A. Blom, A.P. Balena, E. de Vries, H.J. Holland, H.J.M. ter Brake and H. Rogalla 821

Author Index

- Akhmetov, A., 627
 Akhmetov, A.A., 445
 Akkimaradi, B.S., 481
 Alamgir, A.K.M., 729
 Amemiya, N., 303, 655
 Anghel, A., 549
 Apperley, M.H., 319
 Atrey, M.D., 469
 Awaji, S., 393
- Babo, C., 191
 Baek, S.H., 379, 387
 Baker, Roger C., 421
 Balcerik, K., 749
 Balena, A.P., 821
 Bapat, S.L., 1
 Barucci, M., 145, 437, 465, 489
 Basu, A.N., 341
 Baudouy, B., 127
 Bellucci, P., 555
 Beppu, A., 713
 Bhatia, R.S., 685
 Bi, Y.F., 531
 Bianchini, G., 465
 Bingjun, G., 755
 Blom, C.J.H.A., 821
 Bondarenko, S.I., 313
 Bonfait, G., 425
 Bottura, L., 555, 617, 627, 677
 Breschi, M., 617, 627
 Brisson, J.G., 91, 203
 Buchsbaum, L., 663
- Catarino, I., 425
 Chang, H.-M., 159, 769
 Chase, S.T., 685
 Chen, G., 261
 Chen, G.B., 333
 Chen, Z., 681
 Chen, Z.M., 531
 Chen, Z.Q., 475
 Cheng, P., 721
 Chigusa, S., 167, 325
 Chorowski, M., 585
 Ciotti, M., 555
 Collaudin, B., 797
- Dąbrowska, B., 221
 Darmann, F., 319
 de Boer, P.C.T., 701
 de Vries, E., 821
 de Waele, A.T.A.M., 459
- DeGregoria, A.J., 269
 Ding, S.Y., 29
 Duan, Z., 681
 Duchateau, J.L., 569
 Duffy Jr., W., 417
 Dutta, P., 431
- Edgington, S.F., 685
- Fabbricatore, P., 45
 Fang, J., 531
 Farinon, S., 45
 Filippov, Yu.P., 279
 Fillunger, H., 569
 France, D.M., 759
 François, M.X., 127
 Fujii, Y., 713
- Gan, Z., 261
 Gan, Z.H., 333
 Gažo, E., 441
 Gao, C.M., 475
 Gerstenberg, H., 295
 Gislön, P., 555
 Glenn, J., 685
 Gottardi, E., 145, 437, 465, 489
 Grzegory, P., 585
 Gupta, P., 469
 Gupta, P.P., 481
- Hamajima, T., 729
 Harada, N., 729
 Haruyama, T., 61
 Hastik, R., 295
 Hatakeyama, K., 365
 Hauser, H., 295
 Hayakawa, N., 167, 325
 Hayashida, S., 9
 He, Y.L., 475
 Heiden, C., 67, 261, 333
 Heller, R., 561
 Hirayama, Y., 251
 Hofmann, A., 407
 Holland, H.J., 821
 Humer, K., 155, 295
- Iijima, Y., 345
 Ilyin, Yu.A., 9, 19
 Inoue, K., 345
 Inoue, M., 9
 Irie, F., 9
 Ishizuka, H., 61
- Itoh, K., 287
 Ivanova, Z.G., 749
 Iwasa, Y., 209
- Jeong, E.S., 379, 387
 Jeong, S., 159, 379, 387
 Jinglin, C., 755
 Jones, W.C., 685
 Ju, Y.L., 459
 Juster, F.-P., 127
- Kamiya, S., 35, 737
 Kanazawa, M., 9
 Kang, B.H., 779
 Kashima, N., 325
 Kawagoe, E., 35
 Kikuchi, A., 345
 Kim, H.-J., 769
 Kim, H.-Y., 779
 Kim, J.-W., 53
 Kirschman, R., 493
 Kiss, T., 9, 19
 Kiyoshi, T., 353
 Kobayashi, H., 403
 Konshima, N., 737
 Kovrizhnykh, A.M., 279
 Krakovsky, B.D., 173
 Krishnaprasas, C.K., 431
 Kuroda, K., 61
 Kuroda, T., 287
- Lange, A.E., 685
 Lawrence, J., 203
 Lee, D.-Y., 779
 Lee, H., 209
 Lehtonen, J., 245
 Li, B.Z., 531
 Li, S., 229
 Liang, J., 229
 Lin, F.Y., 29
 Liu, L.Q., 75, 85
 Lokner, L', 441
 Lu, G., 721
 Luo, H., 29
 Luongo, C., 511, 677
- Maeda, H., 167
 Maeda, M., 713
 Maffei, B., 685
 Mainzer, A.K., 685
 Manik, N.B., 341
 Marinucci, C., 501, 677

Index

- Martinez, A., 569
Marucha, Cz., 749
Maurer, W., 561
Mauskopf, P.D., 685
McCaughhey, G., 319
McGee, M.W., 759
Meuris, C., 127
Mikkonen, R., 245
Miklayev, V.M., 279
Miller, J., 511
Mitchell, N., 99, 605, 637
Miyoiki, S., 61
Mori, T., 117
Mukherjee, S.C., 341
Murakami, M., 241
Murakami, T., 393
Muramatsu, D., 403
Murase, S., 393
Musenich, R., 45
Muzzi, L., 555

Nagaya, S., 325
Narayana, K.B., 431
Narayananamurthy, H., 481
Neveu, P., 191
Nicollet, S., 569
Nirmala, R., 149
Nishigaki, K., 35, 353, 737
Noma, S., 365

Ogata, T., 251
Ogitsu, T., 655
Ohashi, M., 61
Ohuchi, N., 655
Ohya, K., 9
Okamoto, H., 9
Okamura, T., 403
Okubo, H., 167, 325
Onishi, K., 35, 737
Ono, M., 729

Paasi, J., 245
Park, D.-J., 159
Patel, A.B., 91, 203
Pavlov, P.P., 313
Pavlov, V.N., 361
Peng, Y., 353
Peroni, I., 145, 437, 465, 489
Philhour, B.J., 685
Potti, P.K.G., 789
Pourrahimi, S., 549
Prakash, M.J., 481
Prasad, M., 481
Prestemon, S., 511
Priano, C., 45

Qiang, C., 755
Qing, Q.J., 353
Qiu, L., 29

Rakhmanov, A.L., 9, 19
Rando, N., 797
Rao, B.N., 789
Rastogi, S.C., 481
Ribani, P.L., 627
Rijpma, A.P., 821
Rogalla, H., 821
Rosenkranz, P., 155
Rosso, C., 617
Rosso, T.D., 465
Rownd, B.K., 685
Rubinacci, G., 671

Saito, M., 251
Sanders, R.C., 759
Sanfilippo, S., 577
Sankar, M.G., 149
Sankaranarayanan, V., 149
Sapper, J., 561
Sasaki, K., 655
Sato, N., 61
Satoh, T., 365
Saucedo-Muñoz, M.L., 693
Savoldi, L., 179, 539, 593
Sayre, S., 511
Schauer, F., 561
Scheibel, R., 441
Schmidt, C., 137
Schmidt, R., 519
Schönewolf, I., 561
Serio, L., 585
Sethupathi, K., 149
Sha, C., 353
Shablo, A.A., 313
Sherif, S.A., 269
Shigi, T., 713
Shimamoto, S., 393
Shintomi, T., 61, 655
Shoji, T., 693
Siemko, A., 577
Skyba, P., 441
Smolka, N., 441
Sonnemann, F., 519
Spadoni, M., 499, 555
Srinivasan, K., 481
Srivastava, V.K., 789
Süßer, M., 235, 413, 421
Sukhanova, A.K., 279
Sukhov, V.I., 173
Sun, W., 229

Suyama, D., 353
Suzuki, T., 61

Takahashi, H., 693
Takahashi, M., 403
Takahashi, Y., 549
Takano, H., 729
Takeda, M., 353
Takeo, M., 9, 19
Tamburrino, A., 671
Tanaeva, I.A., 459
Tanaka, E., 365
Tatsumi, D., 61
ter Brake, H.J.M., 821
Terzijska, B.M., 749
Thummes, G., 67, 261, 333
Togano, K., 287
Tomaru, T., 61
Tongzhao, X., 755
Tsuchiya, K., 655
Tsuda, M., 729
Turtù, S., 555

Uchiyama, T., 61
Ueda, A., 61
Ulbricht, A., 561
Ulybin, S.A., 173
Usami, S., 117

van Weelderen, R., 585
Vécsey, G., 501, 677
Vecsey, G., 549
Ventre, S., 671
Ventura, G., 145, 437, 465, 489
Verweij, A.P., 663
Veziroglu, T.N., 269
Villone, F., 671
von Schneidemesser, A., 67
Vysotsky, V.S., 9, 19

Wada, H., 287, 353
Wang, R.Z., 241
Wang, W., 681
Wang, Z., 681
Watanabe, K., 393
Watanabe, Y., 693
Wawryk, R., 749
Weber, H.W., 155, 295
Weng, P.D., 531
Wu, X.F., 29
Wüchner, F., 235, 413, 561

Xu, Z., 29

Index

Yamamoto, A., 61

Yan, L., 353

Yang, A., 353

Yang, J., 229

Yao, X.X., 29

Yonekawa, H., 655

Yuri, T., 251

Zahn, G., 561

Zanino, R., 179, 539, 593

Zeng, R., 319

Zhang, L., 75, 85, 269

Zhang, P., 29, 241

Zhang, Y.H., 29

Zhou, K., 353

Zhou, Y., 229, 681

Zhu, W., 229

Zimm, C.B., 269

Keyword

- a.c. loss, 445
 AC losses (C), 53, 511
 AC losses, 303, 519, 531
 Accelerator magnets, 127
 Accelerator magnets (F), 53, 627
 Ac-losses at 77 K, 137
 Adsorption pumping, 481
 Ag-Bi2223 tapes, 29
 Aluminum-lithium alloys, 789
 Applied superconductivity, 353
 Austenitic stainless steels, 693
 Bi(2,2,2,3) tapes, 681
 Brayton cycle, 261
 BSCCO-2223/Ag tape, 209
 Cable-in-conduit conductors, 179, 501, 539, 561, 569, 593, 729
 Cable in conduit conductors (A), 511
 Calorimeter, 425
 Calorimetric measuring technique, 137
 Chalcogenide alloys, 749
 Coaxial multilayer conductors, 729
 Composites, 245
 Composite CuNb/Nb₃Sn conductor, 393
 Cool-down, 407
 Cool-down time, 779
 Cooling load, 779
 Counter flow, 469
 Critical current, 29
 Critical current density, 287, 681
 Critical current parameter *n*, 29
 Cryobiology, 361
 Cryochamber, 779
 Cryocooler, 75, 481, 701, 821
 Cryocoolers, 67
 Cryogen free magnet, 769
 Cryogenic, 693
 Cryogenics, 191, 235, 413, 431, 475, 797
 Cryogenic contamination, 61
 Cryogenic temperatures, 155, 251
 Cryostats (F), 685
 Cryosurgery, 361
 Cu or Ge addition, 345
 Current lead, 209
 Current sharing (C), 617
 Current sharing, 637, 655, 663
 Detectors, 797
 Diffusion, 45
 Effectiveness, 469
 Elastic stress intensity factor, 789
 Electrical insulation, 127, 167
 Electrical properties, 295
 Electromagnetic phenomena, 303, 637, 729
 Electromagnetic phenomena (C), 617, 627, 671
 Electro-magnetic transients program, 325
 Energy balance equation, 173
 Epoxy resin, 167
 Expander, 159
 Fatigue properties, 155, 251
 Fault current limiters, 325
 δ-ferrite, 251
 Ferromagnetic antenna, 313
 Fibre-reinforced plastics, 155
 Finesse, 61
 Fix-point device, 441
 Flow characteristics, 721
 Fluid dynamics, 159
 Flux pinning and creep, 287
 Forced flow, 561, 569
 Fracture toughness, 693
 Fusion magnet, 555
 Fusion magnets, 179, 501, 539, 561, 569, 593, 655
 Fusion magnets (F), 511
 Gas mixture, 261, 475
 Gas mixtures, 333
 Gas mixtures (B), 1
 Gifford-Mac Mahon, 425
 Gifford-McMahon, 769
 G-M refrigerator, 85
 He I, 279
 He II, 127, 241, 279
³He systems (E), 685
 Heat capacity, 425
 Heat exchangers, 469
 Heat transfer, 127, 159, 179, 403, 431, 501, 519, 769
 High *T_c* superconductors, 245, 319
 High magnetic field, 353
 High *T_c*-superconductors, 137
 High temperature superconductor, 209
 Homogeneous current distributions, 729
 HTSC tapes, 9, 19
 Hybrid refrigerator system, 67
 Hydrogen, 279
 Ideal gas line, 173
 Individual energies, 173
 Infrared detectors (D), 685
 Instrumentation, 149, 279, 425
 Insulating material, 295
 Insulations, 431
 Interferometric gravitational wave detector, 61
 Irradiation, 295
 Irreversibility, 191
 Joint resistance, 45
 Labyrinth sealing, 75, 85
 Lead regenerator, 67
 LED, 341
 Liquid ³He, 713
 Liquid helium, 759
 Liquid helium temperature, 67
 Liquid nitrogen, 167
 Magnetic field, 235, 413
 Magnetic interference, 821
 Magnetic measurements, 663
 Magnetometer, 313
 Magnets, 9, 19
 Mass streaming, 387
 Mechanical properties, 117, 155, 319, 417
 Metals, 417
 MHD helical-type thruster, 353
 Microstructure, 693
 Modified anhydride hardener, 755
 Molar volume, 365
 Multifilament wires and tapes, 303

- Multifilament wires and tapes
Bi-2223 tapes, 319
- Multilayer, 431
- Nb₃Al-based high-field conductor, 345
- Nitrogen (B), 1
- Noisy film boiling, 241
- Orifice pulse tube, 701
- Packed bed, 407
- Partial discharge inception, 167
- Phenomenological thermo-mechanics, 173
- Phonon-roton model, 365
- Photodetector, 341
- Pipeline, 407
- Pool boiling heat transfer, 713
- Power applications, 303
- Power system stability, 325
- Power transmission systems, 325
- Propagation velocity, 519, 555, 585
- Pulse tube (E), 229
- Pulse tube cryocooler, 475
- Pulse tube refrigeration, 261
- Pulse tube refrigerator, 67, 721
- Pulse tube refrigerators, 379, 387
- Pulse tube, 191, 333
- Quench, 9, 19, 393, 519, 549, 555, 561, 577, 585, 655
- Quench (C), 53, 511, 617
- Rapid heating and quenching, 345
- Reflectance, 61
- Refrigeration, 191
- Refrigerators, 475
- Regenerator, 75, 85
- Regenerators (E), 229
- Residual strength, 789
- Resin properties, 755
- Rotating electric machinery, 117
- Semiconductors, 749
- Silent film boiling, 241
- Simulation, 191
- Sorption coolers (E), 685
- Space cryogenics, 481
- Space cryogenics (F), 229
- Spacecraft engineering, 797
- SQUID, 313, 821
- Stability (C), 53, 617
- Stability, 9, 19, 393, 531, 555, 655, 663
- Stainless steels, 251
- Stirling (E), 1
- Stirling cooler, 821
- Strain effect, 319
- Streaming-driven enthalpy flow loss, 387
- Stress effects, 117, 287
- Structural materials, 117
- Superconducting cable, 445, 555
- Superconducting cables, 45, 179, 501, 539, 549, 593, 637, 655, 663, 729
- Superconducting cables (A), 617, 627
- Superconducting electro-magnetic ship, 353
- Superconducting magnets, 117, 245, 403, 519, 577, 585
- Superconducting magnets (F), 53
- Superconductivity, 821
- Superconductors, 287, 441, 531, 577
- Superconductors (A), 671
- Supercritical helium, 179, 501, 561, 585, 637
- Superfluid helium, 403, 585
- Superfluid helium (He II), 365
- Surface cracks, 789
- Swelling, 295
- Tapered pulse tubes, 379, 387
- Temperature measurement, 241, 441
- Temperature sensor, 413
- Temperature sensors, 235
- Thermal bubble, 167
- Thermal conductivity, 245, 749
- Thermal switch, 769
- Thermodynamic analysis, 701
- Thermodynamics, 191, 261
- Thermodynamics (C), 229
- TIG weld, 251
- Time constant, 445
- Transformers, 325
- Transmission lines, 303
- Transport properties, 149
- Two-component two-phase fluid, 1
- Two-dimensional model, 379, 387
- Two-phase flow, 279, 333
- Two-phase helium flow, 759
- Two-stage 4 K refrigerator, 67
- Ultra-low loss dielectric multi-layer coating mirror, 61
- V/I curves, 29
- Valve, 721
- n-values, 681
- Vapour compression cycle, 1
- Weight loss, 295
- Weir flowmeter, 759
- Welding structure, 251



